

Annex. Importer Security Filing. SOAP messaging.

(ver. from 5/26/2026)

Table of Contents

1. Carrier.	1
1.1 GetByCode().	1
1.1 Save().	2
2. Contact.	2
2.1 GetByCode().	2
2.2 Save().	3
3. CountryInfo.	3
3.1 GetByCode().	3
4. Harmonized Tariff Scheduler.	4
4.1 GetByCode().	4
4.2 PutToQueue().	5
5. Shipment.	5
5.2 Save().	5
6. Sequences.	6
6.1 SequenceGetNextNumber().	6
7. Importer Security Filing.	6
7.1 Get().	6
7.2 Save().	7
8. Foreign Port.	3
8.1 GetByCode().	3

Samples of xml SOAP response message.

1. Carrier.

1.1 GetByCode() method.

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
    </SMSMessageHeader>
    <o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
      <u:Timestamp u:Id="_0">
        <u:Created>2024-06-06T18:40:35.960Z</u:Created>
        <u:Expires>2024-06-06T18:45:35.960Z</u:Expires>
      </u:Timestamp>
    </o:Security>
  </s:Header>
  <s:Body>
    <GetByCodeResponse xmlns="http://tempuri.org/">
      <GetByCodeResult z:Id="1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories"
xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
        <Id xmlns="">57</Id>
        <RowVersion xmlns="">AAAAAAE0eaM=</RowVersion>
        <Code xmlns="">4S</Code>
        <Name xmlns="">SOLAR CARGO, C.A.</Name>
        <a:Address></a:Address>
      </GetByCodeResult>
    </GetByCodeResponse>
  </s:Body>
</s:Envelope>
```

```

        <a:AirwayBillPrefix>644</a:AirwayBillPrefix>
        <a:Time>2022-08-23T08:40:14.98</a:Time>
        <a:Type>Air</a:Type>
    </GetByCodeResult>
</GetByCodeResponse>
</s:Body>
</s:Envelope>

```

1.2 Save() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
    </SMSMessageHeader>
    <o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
      <u:Timestamp u:Id="_0">
        <u:Created>2024-06-06T18:40:45.356Z</u:Created>
        <u:Expires>2024-06-06T18:45:45.356Z</u:Expires>
      </u:Timestamp>
    </o:Security>
  </s:Header>
  <s:Body>
    <SaveResponse xmlns="http://tempuri.org/">
      <SaveResult z:Id="i1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories"
xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
        <Id xmlns="">6138</Id>
        <RowVersion xmlns="">AAAAAALc6N0=</RowVersion>
        <Code xmlns="">XY</Code>
        <a:Time>2024-06-06T18:40:45.3406679Z</a:Time>
        <a:Type>Air</a:Type>
      </SaveResult>
    </SaveResponse>
  </s:Body>
</s:Envelope>

```

2. Contact.

2.1 GetByCode() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
    </SMSMessageHeader>
    <o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
      <u:Timestamp u:Id="_0">
        <u:Created>2024-06-08T09:33:57.287Z</u:Created>
        <u:Expires>2024-06-08T09:38:57.287Z</u:Expires>
      </u:Timestamp>
    </o:Security>
  </s:Header>
  <s:Body>
    <GetByCodeResponse xmlns="http://tempuri.org/">
      <GetByCodeResult z:Id="i1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories"
xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
        <Id xmlns="">383</Id>
        <RowVersion xmlns="">AAAAAAAXx4l=</RowVersion>
        <Code xmlns="">TESNAM</Code>
        <Name xmlns="">Test Name</Name>
        <a:Adress1>221b, Baker Street</a:Adress1>
        <a:Adress2>East End</a:Adress2>
        <a:CBPNumber/>
        <a:City>London</a:City>
        <a:Country>GB</a:Country>
        <a:DUNS/>
        <a:DateOfBirth>2024-06-07T00:00:00</a:DateOfBirth>

```

```

        <a:IRSNumber/>
        <a:PassportCountryOfIssuance/>
        <a:SocialSecurityNumber/>
        <a:ZIP/>
    </GetByCodeResult>
</GetByCodeResponse>
</s:Body>
</s:Envelope>

```

2.2 Save() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
    </SMSMessageHeader>
    <o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
      <u:Timestamp u:Id="0">
        <u:Created>2024-06-08T08:54:05.154Z</u:Created>
        <u:Expires>2024-06-08T08:59:05.154Z</u:Expires>
      </u:Timestamp>
    </o:Security>
  </s:Header>
  <s:Body>
    <SaveResponse xmlns="http://tempuri.org/">
      <SaveResult z:Id="i1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories"
xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
        <Id xmlns="">384</Id>
        <RowVersion xmlns="">AAAAAAAXx4Y=</RowVersion>
        <Code xmlns="">TESNA0</Code>
        <Name xmlns="">Test Name</Name>
        <a:Address1>221b, Baker Street</a:Address1>
        <a:Address2>East End</a:Address2>
        <a:BankAccounts/>
        <a:Bonds/>
        <a:CBPNumber>244701-10284</a:CBPNumber>
        <a:Categories/>
        <a:City>London</a:City>
        <a:CommunicationProfiles/>
        <a:Country>GB</a:Country>
        <a:DUNS>1234567890123</a:DUNS>
        <a:DateOfBirth>2024-06-07T17:00:00-04:00</a:DateOfBirth>
        <a:DeliveryPoints/>
        <a:Ext z:Id="i2">
          <Id xmlns="">384</Id>
          <RowVersion xmlns="">AAAAAAAXx4c=</RowVersion>
          <a:Contact z:Ref="i1"/>
          <a:Id>384</a:Id>
        </a:Ext>
        <a:IRSNumber>12-120215400</a:IRSNumber>
        <a:PassportCountryOfIssuance>GB</a:PassportCountryOfIssuance>
        <a:SocialSecurityNumber>125-12-3250</a:SocialSecurityNumber>
        <a:TruckerTerminalCongestionSurcharges/>
        <a:ZIP>11433</a:ZIP>
      </SaveResult>
    </SaveResponse>
  </s:Body>
</s:Envelope>

```

3. CountryInfo.

3.2 GetByCode() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">

```

```

<ServiceMessages />
</HeaderProperties></SMSMessageHeader>
</SMSMessageHeader>
<o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
  <u:Timestamp u:Id="0">
    <u:Created>2024-06-08T10:38:25.295Z</u:Created>
    <u:Expires>2024-06-08T10:43:25.295Z</u:Expires>
  </u:Timestamp>
</o:Security>
</s:Header>
<s:Body>
  <GetByCodeResponse xmlns="http://tempuri.org/">
    <GetByCodeResult z:Id="1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
      <Id xmlns="">242</Id>
      <RowVersion xmlns="">AAAAAAAZoA</RowVersion>
      <Code xmlns="">GB</Code>
      <Name xmlns="">UNITED KINGDOM</Name>
      <a:AGOA_CBTPA_ATPDEA_SPI></a:AGOA_CBTPA_ATPDEA_SPI>
      <a:AGOA_LDDIndicator></a:AGOA_LDDIndicator>
      <a:CountryCode>4120</a:CountryCode>
      <a:Currency>GBP</a:Currency>
      <a:GSPIndicator>0</a:GSPIndicator>
      <a:MiscellaneousSPI></a:MiscellaneousSPI>
      <a:RateColumnIndicator>1</a:RateColumnIndicator>
      <a:RestrictionIndicator>0</a:RestrictionIndicator>
      <a:SPICode></a:SPICode>
      <a:Time>2022-08-23T08:38:16.227</a:Time>
    </GetByCodeResult>
  </GetByCodeResponse>
</s:Body>
</s:Envelope>

```

4. Harmonized Tariff Scheduler.

4.1 GetByCode() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;/HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;/ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
</SMSMessageHeader>
<o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
  <u:Timestamp u:Id="_0">
    <u:Created>2024-06-08T09:44:05.047Z</u:Created>
    <u:Expires>2024-06-08T09:49:05.047Z</u:Expires>
  </u:Timestamp>
</o:Security>
</s:Header>
<s:Body>
  <GetByCodeResponse xmlns="http://tempuri.org/">
    <GetByCodeResult z:Id="1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories"
      xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
      <Id xmlns="">28007</Id>
      <RowVersion xmlns="">AAAAAAWuxs</RowVersion>
      <Code xmlns="">0101300000</Code>
      <Name xmlns="">ASSES</Name>
      <a:ABITransactionCode></a:ABITransactionCode>
      <a:ABITransactionTime>2023-05-17T19:50:28.517</a:ABITransactionTime>
      <a:AdditionalTariffNumberIndicator></a:AdditionalTariffNumberIndicator>
      <a:AntidumpingDutyFlag></a:AntidumpingDutyFlag>
      <a:BaseRateIndicator></a:BaseRateIndicator>
      <a:BeginEffectiveDate>2020-07-01T00:00:00</a:BeginEffectiveDate>
      <a:Column1RateAdValorem>0.06800000</a:Column1RateAdValorem>
      <a:Column2RateAdValorem>0.15000000</a:Column2RateAdValorem>
      <a:CountervailingDutyFlag></a:CountervailingDutyFlag>
      <a:DutyComputationCode>7</a:DutyComputationCode>
      <a:EndEffectiveDate>9999-12-31T00:00:00</a:EndEffectiveDate>
      <a:GSPEExcludedCountries></a:GSPEExcludedCountries>
      <a:MiscellaneousPermitLicenseIndicator></a:MiscellaneousPermitLicenseIndicator>
      <a:NumberOfReportingUnits>1</a:NumberOfReportingUnits>
      <a:PGA>AM7FD3</a:PGA>
    </GetByCodeResult>
  </GetByCodeResponse>
</s:Body>
</s:Envelope>

```

```

    <a:QuotaIndicator></a:QuotaIndicator>
    <a:SPICodes>D E J P S A+AUBHCLCOILJOKRMAOMPAPESG</a:SPICodes>
    <a:TextileCategoryNumber></a:TextileCategoryNumber>
    <a:Time>2023-05-17T19:50:28.517</a:Time>
    <a:Unit1>NO</a:Unit1>
    <a:Unit2/>
    <a:Unit3/>
  </GetByCodeResult>
</GetByCodeResponse>
</s:Body>
</s:Envelope>

```

4.2 PutToQueue() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
    </SMSMessageHeader>
    <o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
      <u:Timestamp u:Id="_0">
        <u:Created>2024-06-08T11:53:49.465Z</u:Created>
        <u:Expires>2024-06-08T11:58:49.465Z</u:Expires>
      </u:Timestamp>
    </o:Security>
  </s:Header>
  <s:Body>
    <PutToQueueResponse xmlns="http://tempuri.org/">
      <PutToQueueResult>7511</PutToQueueResult>
    </PutToQueueResponse>
  </s:Body>
</s:Envelope>

```

5. Shipment.

5.1 Save() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
    </SMSMessageHeader>
    <o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
      <u:Timestamp u:Id="_0">
        <u:Created>2024-06-10T13:21:44.227Z</u:Created>
        <u:Expires>2024-06-10T13:26:44.227Z</u:Expires>
      </u:Timestamp>
    </o:Security>
  </s:Header>
  <s:Body>
    <SaveResponse xmlns="http://tempuri.org/">
      <SaveResult z:Id="i1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Documents"
xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
        <Id xmlns="">1078</Id>
        <RowVersion xmlns="">AAAAAAAXyJU=</RowVersion>
        <Creator_Id xmlns="">1</Creator_Id>
        <Number xmlns="">1299</Number>
        <a:BookingConsolidationNumber>1205</a:BookingConsolidationNumber>
        <a:BookingLoads/>
        <a:Buyer_Id>55</a:Buyer_Id>
        <a:Carrier_Id>715</a:Carrier_Id>
        <a:Charges/>
        <a:Consignee_Id>55</a:Consignee_Id>
        <a:Consolidator_Id>55</a:Consolidator_Id>
        <a:Direction>IM</a:Direction>
        <a:HouseBillIssuer z:Id="i2" xmlns:b="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories">
          <Id xmlns="">599</Id>

```

```

<RowVersion xmlns="">AAAAAAAXIk=</RowVersion>
<Code xmlns="">JAPT</Code>
<Name xmlns="">JAPAN TRUST CO LTD</Name>
<b:Address>NAGOYA AICHI, 460-0002 AICHI JP</b:Address>
<b:AirwayBillPrefix></b:AirwayBillPrefix>
<b:Time>2022-08-23T08:40:47.887</b:Time>
</a:HouseBillIssuer>
<a:HouseBillIssuer_Id>599</a:HouseBillIssuer_Id>
<a:HouseBillNumber>061024162139</a:HouseBillNumber>
<a:ImporterSecurityFiling_Id>433</a:ImporterSecurityFiling_Id>
<a:Importer_Id>55</a:Importer_Id>
<a:Invoices/>
<a:Loads>
  <a:ShipmentLoad z:Id="i3">
    <Id xmlns="">196</Id>
    <RowVersion xmlns="">AAAAAAAXyJY=</RowVersion>
    <a:ContainerType>40</a:ContainerType>
    <a:EquipmentDescription>40</a:EquipmentDescription>
    <a:LoadType>HDL</a:LoadType>
    <a:Marks/>
    <a:Pieces>10</a:Pieces>
    <a:SealNumber>234</a:SealNumber>
    <a:Shipment z:Ref="i1"/>
    <a:Shipment_Id>1078</a:Shipment_Id>
    <a:VolumeM>20</a:VolumeM>
    <a:VolumetricWeightKg>20</a:VolumetricWeightKg>
    <a:WeightKg>1550</a:WeightKg>
  </a:ShipmentLoad>
</a:Loads>
<a:PurchaseOrders/>
<a:Seller_Id>55</a:Seller_Id>
<a:ShipTo_Id>55</a:ShipTo_Id>
<a:StuffingLocation_Id>55</a:StuffingLocation_Id>
<a:TransportationMode>11</a:TransportationMode>
</SaveResult>
</SaveResponse>
</s:Body>
</s:Envelope>

```

6. Sequences.

6.1 SequenceGetNextNumber() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
    </SMSMessageHeader>
    <o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
      <u:Timestamp u:Id="_0">
        <u:Created>2024-06-06T12:55:56.962Z</u:Created>
        <u:Expires>2024-06-06T13:00:56.962Z</u:Expires>
      </u:Timestamp>
    </o:Security>
  </s:Header>
  <s:Body>
    <SequenceGetNextNumberResponse xmlns="http://tempuri.org/">
      <SequenceGetNextNumberResult>671</SequenceGetNextNumberResult>
    </SequenceGetNextNumberResponse>
  </s:Body>
</s:Envelope>

```

7. Importer Security Filing.

7.1 Get() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">

```

```

        <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;/HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;/ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
    </SMSMessageHeader>
    <o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
        <u:Timestamp u:Id=" 0">
            <u:Created>2024-06-08T11:14:25.361Z</u:Created>
            <u:Expires>2024-06-08T11:19:25.361Z</u:Expires>
        </u:Timestamp>
    </o:Security>
</s:Header>
<s:Body>
    <GetResponse xmlns="http://tempuri.org/">
        <GetResult z:Id="i1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Documents"
xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
            <Id xmlns="">433</Id>
            <RowVersion xmlns="">AAAAAAXS24=</RowVersion>
            <Creator_Id xmlns="">1</Creator_Id>
            <Date xmlns="">2024-01-18T00:00:00</Date>
            <Number xmlns="">660</Number>
            <a:ActionReasonCode>CT</a:ActionReasonCode>
            <a:BondActivityCode>01</a:BondActivityCode>
            <a:BondType>8</a:BondType>
            <a:Carrier_Id>295</a:Carrier_Id>
            <a:EstimatedQuantityUnitOfMeasure>PCS</a:EstimatedQuantityUnitOfMeasure>
            <a:EstimatedWeightQualifiers>K</a:EstimatedWeightQualifiers>
            <a:ExpiredDate>2024-02-16T00:00:00</a:ExpiredDate>
            <a:Importer_Id>1</a:Importer_Id>
            <a:ShipmentType>01</a:ShipmentType>
            <a:LastStatuses xmlns:b="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Common">
                <b:EntityLastStatus z:Id="i2">
                    <Id xmlns="">142328</Id>
                    <RowVersion xmlns="">AAAAAAAXSe=</RowVersion>
                    <b:ImporterSecurityFiling z:Ref="i1"/>
                    <b:ImporterSecurityFiling_Id>433</b:ImporterSecurityFiling_Id>
                    <b:Source>SF</b:Source>
                    <b>Status>ABI App QUE status</b>Status>
                    <b:Subject>SF</b:Subject>
                    <b:Time>2024-01-18T21:08:44.353</b:Time>
                    <b:User_Id>1</b:User_Id>
                    <b:Value>QUE in process</b:Value>
                </b:EntityLastStatus>
                <b:EntityLastStatus z:Id="i3">
                    <Id xmlns="">142329</Id>
                    <RowVersion xmlns="">AAAAAAAXSeg=</RowVersion>
                    <b:ImporterSecurityFiling z:Ref="i1"/>
                    <b:ImporterSecurityFiling_Id>433</b:ImporterSecurityFiling_Id>
                    <b:Source>SF</b:Source>
                    <b>Status>ABI App QUE status</b>Status>
                    <b:Subject>SF</b:Subject>
                    <b:Time>2024-01-18T21:08:45.68</b:Time>
                    <b:User_Id>1</b:User_Id>
                    <b:Value>Put to QUE</b:Value>
                </b:EntityLastStatus>
            </a:LastStatuses>
            <a:SubmissionType>1</a:SubmissionType>
            <a:TransactionNumber>SY1-30606558398</a:TransactionNumber>
            <a:TransportationMode>11</a:TransportationMode>
        </GetResult>
    </GetResponse>
</s:Body>
</s:Envelope>

```

7.2 Save() method.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
wss-wssecurity-utility-1.0.xsd">
    <s:Header>
        <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
            <SMSMessageHeader xmlns="Key">&lt;?xml version="1.0" encoding="utf-16"?>
&lt;/HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
&lt;/ServiceMessages />
&lt;/HeaderProperties></SMSMessageHeader>
        </SMSMessageHeader>
        <o:Security s:mustUnderstand="1" xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
            <u:Timestamp u:Id=" 0">
                <u:Created>2024-06-09T13:21:10.109Z</u:Created>
            </u:Timestamp>
        </o:Security>
    </s:Header>
    <s:Body>
        <Save>
            <SaveRequest z:Id="i1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Documents"
xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
                <Id xmlns="">433</Id>
                <RowVersion xmlns="">AAAAAAXS24=</RowVersion>
                <Creator_Id xmlns="">1</Creator_Id>
                <Date xmlns="">2024-01-18T00:00:00</Date>
                <Number xmlns="">660</Number>
                <a:ActionReasonCode>CT</a:ActionReasonCode>
                <a:BondActivityCode>01</a:BondActivityCode>
                <a:BondType>8</a:BondType>
                <a:Carrier_Id>295</a:Carrier_Id>
                <a:EstimatedQuantityUnitOfMeasure>PCS</a:EstimatedQuantityUnitOfMeasure>
                <a:EstimatedWeightQualifiers>K</a:EstimatedWeightQualifiers>
                <a:ExpiredDate>2024-02-16T00:00:00</a:ExpiredDate>
                <a:Importer_Id>1</a:Importer_Id>
                <a:ShipmentType>01</a:ShipmentType>
                <a:LastStatuses xmlns:b="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Common">
                    <b:EntityLastStatus z:Id="i2">
                        <Id xmlns="">142328</Id>
                        <RowVersion xmlns="">AAAAAAAXSe=</RowVersion>
                        <b:ImporterSecurityFiling z:Ref="i1"/>
                        <b:ImporterSecurityFiling_Id>433</b:ImporterSecurityFiling_Id>
                        <b:Source>SF</b:Source>
                        <b>Status>ABI App QUE status</b>Status>
                        <b:Subject>SF</b:Subject>
                        <b:Time>2024-01-18T21:08:44.353</b:Time>
                        <b:User_Id>1</b:User_Id>
                        <b:Value>QUE in process</b:Value>
                    </b:EntityLastStatus>
                    <b:EntityLastStatus z:Id="i3">
                        <Id xmlns="">142329</Id>
                        <RowVersion xmlns="">AAAAAAAXSeg=</RowVersion>
                        <b:ImporterSecurityFiling z:Ref="i1"/>
                        <b:ImporterSecurityFiling_Id>433</b:ImporterSecurityFiling_Id>
                        <b:Source>SF</b:Source>
                        <b>Status>ABI App QUE status</b>Status>
                        <b:Subject>SF</b:Subject>
                        <b:Time>2024-01-18T21:08:45.68</b:Time>
                        <b:User_Id>1</b:User_Id>
                        <b:Value>Put to QUE</b:Value>
                    </b:EntityLastStatus>
                </a:LastStatuses>
                <a:SubmissionType>1</a:SubmissionType>
                <a:TransactionNumber>SY1-30606558398</a:TransactionNumber>
                <a:TransportationMode>11</a:TransportationMode>
            </SaveRequest>
        </Save>
    </s:Body>
</s:Envelope>

```

```
<u:Expires>2024-06-09T13:26:10.109Z</u:Expires>
</u:Timestamp>
</o:Security>
</s:Header>
<s:Body>
  <SaveResponse xmlns="http://tempuri.org/">
    <SaveResult z:Id="i1" xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Documents"
xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/">
      <Id xmlns="">449</Id>
      <RowVersion xmlns="">AAAAAAAXyI4=</RowVersion>
      <Creator_Id xmlns="">1</Creator_Id>
      <Date xmlns="">2024-06-09T09:20:57.8805733-04:00</Date>
      <Number xmlns="">674</Number>
      <a:ActionReasonCode>CT</a:ActionReasonCode>
      <a:BondActivityCode>01</a:BondActivityCode>
      <a:BondType>8</a:BondType>
      <a:Carrier z:Id="i2" xmlns:b="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories">
        <Id xmlns="">715</Id>
        <RowVersion xmlns="">AAAAAAAXOM=</RowVersion>
        <Code xmlns="">MAEU</Code>
        <Name xmlns="">MAERSK SEALAND</Name>
        <b:Address></b:Address>
        <b:AirwayBillPrefix></b:AirwayBillPrefix>
        <b:Time>2022-08-23T08:40:55.877</b:Time>
      </a:Carrier>
      <a:Carrier_Id>715</a:Carrier_Id>
      <a:ClientRef>ISF005</a:ClientRef>
      <a:CommercialEntities/>
      <a:Commodities>
        <a:ImporterSecurityFilingCommodity z:Id="i3">
          <Id xmlns="">509</Id>
          <RowVersion xmlns="">AAAAAAAXyI8=</RowVersion>
          <a:CountryOfOrigin>JP</a:CountryOfOrigin>
          <a:HarmonizedTariffNumber>9003190000</a:HarmonizedTariffNumber>
          <a:ImporterSecurityFiling z:Ref="i1"/>
          <a:ImporterSecurityFiling_Id>449</a:ImporterSecurityFiling_Id>
          <a:Manufacturer z:Id="i4" xmlns:b="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories">
            <Id xmlns="">55</Id>
            <RowVersion xmlns="">AAAAAAAZOE=</RowVersion>
            <Code xmlns="">FRENEW</Code>
            <Name xmlns="">FREY NEWNAN</Name>
            <b:Address1>10 RAYMOND HILL ROAD</b:Address1>
            <b:Address2/>
            <b:Address3/>
            <b:AddressType/>
            <b:AddressTypeExplanation/>
            <b:CBPNumber/>
            <b:CBPPersonalBadge/>
            <b:City>NEWNAN</b:City>
            <b:ContactPersonName/>
            <b:Country>US</b:Country>
            <b:DUNS/>
            <b:Email/>
            <b:Fax/>
            <b:FullLegalName/>
            <b:GlazingMFCCode/>
            <b:IRSNumber>93-031218300</b:IRSNumber>
            <b:ImporterType/>
            <b:ManufacturerSupplierCode>USFRENEW10NEW</b:ManufacturerSupplierCode>
            <b:ManufacturersFDARegNumber/>
            <b:NAICBondIssuerNumber/>
            <b:POBoxNumber/>
            <b:PassportCountryOfIssuance/>
            <b:PassportNumber/>
            <b:PassportType/>
            <b:PaymentType/>
            <b:PaymentUnitNumber/>
            <b:PersonFirstName/>
            <b:PersonLastName/>
            <b:PersonMiddleInitial/>
            <b:Phone/>
            <b:SecondName/>
            <b:SecondNameQualifier/>
            <b:SocialSecurityNumber/>
            <b:State>GA</b:State>
            <b:TireMFCCode/>
            <b:ZIP>30265</b:ZIP>
          </a:Manufacturer>
          <a:Manufacturer_Id>55</a:Manufacturer_Id>
```



```

</a:ImporterSecurityFilingCommodity>
<a:ImporterSecurityFilingCommodity z:Id="i5">
  <Id xmlns="">510</Id>
  <RowVersion xmlns="">AAAAAAAXyJA=</RowVersion>
  <a:CountryOfOrigin>JP</a:CountryOfOrigin>
  <a:HarmonizedTariffNumber>8481803070</a:HarmonizedTariffNumber>
  <a:ImporterSecurityFiling z:Ref="i1">
    <a:ImporterSecurityFiling_Id>449</a:ImporterSecurityFiling_Id>
    <a:Manufacturer z:Ref="i4" xmlns:b="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories"/>
    <a:Manufacturer_Id>55</a:Manufacturer_Id>
  </a:ImporterSecurityFilingCommodity>
</a:Commodities>
<a:EstimatedQuantityUnitOfMeasure>PCS</a:EstimatedQuantityUnitOfMeasure>
<a:EstimatedWeightQualifiers>K</a:EstimatedWeightQualifiers>
<a:Importer z:Ref="i4" xmlns:b="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories"/>
<a:Importer_Id>55</a:Importer_Id>
<a:ShipmentType>01</a:ShipmentType>
<a:Shipments/>
<a:SubmissionType>1</a:SubmissionType>
<a:TransportationMode>11</a:TransportationMode>
</SaveResult>
</SaveResponse>
</s:Body>
</s:Envelope>

```

8. Foreign Port.

8.1 GetByCode().

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
wss-wssecurity-utility-1.0.xsd">
  <s:Header>
    <SMSMessageHeader xmlns="http://SMS/DataServer/2014/12">
      <SMSMessageHeader xmlns="Key"><?xml version="1.0" encoding="utf-16"?>
        <HeaderProperties xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
          <ServiceMessages />
          <ClientBrokerVersion>0</ClientBrokerVersion>
        </HeaderProperties>
      </SMSMessageHeader>
    </SMSMessageHeader>
    <o:Security xmlns:o="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" s:mustUnderstand="1">
      <u:Timestamp u:Id="0">
        <u:Created>2025-05-27T13:33:16.208Z</u:Created>
        <u:Expires>2025-05-27T13:38:16.208Z</u:Expires>
      </u:Timestamp>
    </o:Security>
  </s:Header>
  <s:Body>
    <GetByCodeResponse xmlns="http://tempuri.org/">
      <GetByCodeResult xmlns:a="http://schemas.datacontract.org/2004/07/SMS.Broker.DataContracts.Directories"
xmlns:i="http://www.w3.org/2001/XMLSchema-instance" xmlns:z="http://schemas.microsoft.com/2003/10/Serialization/" z:Id="i1">
        <Id xmlns="">11</Id>
        <RowVersion xmlns="">AAAAAAAClzc=</RowVersion>
        <Code xmlns="">01696</Code>
        <Name xmlns="">MORRISBURG ONTARIO </Name>
        <a:Time>2025-02-24T20:14:25.757</a:Time>
      </GetByCodeResult>
    </GetByCodeResponse>
  </s:Body>
</s:Envelope>

```